

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	879635	(terminal or device or client or mobile or cellular or wireless or portable or handheld or phone or telephone) near7 (network or LAN or WAN or intranet or internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L2	612440	L1 near7 (connect\$4 or communicat\$4 or join\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L3	13453	L2 near10 (authentic\$4 or authoriz\$6 or authoris\$6 or validat\$4 or verif\$4 or endors\$4 or certif\$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L4	3973276	tunnel or pathway or channel or route or routes or path or paths	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L5	796502	L4 near5 (creat\$4 or establish\$4 or make or making or makes or made or build\$4 or produc\$4 or generat\$4 or setup)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L6	43754	L5 near20 (parameter or value or restriction or limitation or constraint)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L7	4	L3 near30 L6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L8	4	L2 and L7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L9	384114	(clos\$4 or end\$4 or (shut near3 off)) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L10	5	L9 same (EAP and tunnel\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L11	412998	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L12	10	L11 same (EAP and tunnel\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L13	5	L12 not L10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57

L14	182215	(client or terminal or node or workstation or computer or mobile or cell or cellular or cellphone or smartphone or PDA or pdas or blackberr\$3) near7 (authenticat\$4 or authoris\$4 or authoriz\$4 or verif\$4 or valid\$4 or certif\$4 or endors\$4 or login or logon)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L15	501720	(authenticat\$4 adj (server or computer or connection or device)) or authenticator or intermediar\$4 or middleman or prox\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L16	10257	L14 near10 L15	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L17	247438	tunnel\$4 or (secure or (direct adj connection) or VPN or (virtual private network)) near7 (establish\$4 or initiat\$4 or start\$4 or begin\$4 or commenc\$4 or intialis\$4 or initializ\$4 or negotiat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L18	2501	L17 near15 L14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L19	185	L18 near10 L16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L20	8	L19 near20 (disconnect\$4 or clos\$4 or break\$4 or stop\$4 or halt\$4 or end\$4 or detach \$4 or remov\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 11:57
L21	1	"20060179474" and signal\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 13:07
L22	3	"20020157019" or "6151628". pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 13:36
L23	0	22 and (qos or (quality near2 service))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 13:37
L24	3	22 and (control\$4 or signal \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2011/05/06 13:37
S1	1	"2002012433"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/05/27 14:57
S2	2	"20020012433"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/05/27 15:00

S3	1	"20040066769"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 11:38
S4	2483	diameter connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:35
S5	3	S4 and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:35
S6	556	EAP and (qos or (quality near3 service))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:40
S7	56	S6 and GTP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:40
S8	60	DIAMETER and ((Quality near3 service) or QOS) and 3G and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:53
S9	10	S8 and GTP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:53
S10	14594289	@ad<"20031803" or @rlad<"20031803"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:56
S11	22	S8 and S10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:56
S12	13778659	@ad<"20030318" or @rlad<"20030318"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:57
S13	14	S12 and S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 13:57
S14	2	"20020085516"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:04
S15	1	"20040066769" and diameter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:13
S16	92	(tight near2 coupling).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:17
S17	112	bichot.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:18
S18	5	S16 and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:18
S19	1	"7450554".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:21

S20	696084	(terminal or device or client or mobile or cellular or wireless or portable or handheld or phone or telephone) near7 (network or LAN or WAN or intranet or internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:26
S21	480929	S20 near7 (connect\$4 or communicat\$4 or join\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:27
S22	10386	S21 near10 (authentic\$4 or authoriz\$6 or authoris\$6 or validat\$4 or verif\$4 or endors\$4 or certif\$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:28
S23	3459312	tunnel or pathway or channel or route or routes or path or paths	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:28
S24	683804	S23 near5 (creat\$4 or establish\$4 or make or making or makes or made or build\$4 or produc\$4 or generat\$4 or setup)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:28
S25	36473	S24 near20 (parameter or value or restriction or limitation or constraint)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:29
S26	3	S22 near30 S25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:30
S27	3	S21 and S26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:30
S28	52680	GTP or (general near4 tunnel) or gprs	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:31
S29	3066	eap or eapol or ((extended or extensible) near4 (authenticat\$4 near2 protocol))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:32
S30	493	S22 and S29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:32
S31	493	S30 and S21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/16 14:32
S32	1	"20070162600" and rule\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 09:30
S33	1	"20070162600" and (delivery near3 rule\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 09:31
S34	1	"20040066769" and tunnel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:36

S35	1	"20040066769" and tunnel\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:36
S36	1	"20040066769" and signal\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:43
S37	1	"20060179474" and signal\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:44
S38	0	"20040066769" and clos\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:52
S39	16	(clos\$4 or end\$4 or (shut near3 off)) near5 authentication connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:53
S40	1	S39 and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:54
S41	340111	(clos\$4 or end\$4 or (shut near3 off)) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:55
S42	261	S41 AND eap	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:55
S43	134	S41 and (EAP and tunnel\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:55
S44	2	S41 same (EAP and tunnel \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:56
S45	1	S41 with (EAP and tunnel\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:56
S46	9	S41 same2 (EAP and tunnel \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 11:56
S47	365286	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:01
S48	399	S47 and EAP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:01
S49	6	S47 same (EAP and tunnel \$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:01
S50	4	S49 not S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:02
S51	298	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5) near5 (authentication near4 connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:10

S52	6	S51 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:11
S53	5	S52 not S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:11
S54	3	S53 not S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:11
S55	573	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5) near5 (authentication near10 connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:14
S56	12	S55 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:14
S57	6	S56 not S52	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:14
S58	400277	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5 or disconnect\$5) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:29
S59	680	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5 or disconnect\$5) near5 (authentication near10 connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:29
S60	13	S59 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:29
S61	1	S60 not (S56 or S52)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:30
S62	400277	(clos\$4 or end\$4 or (shut near3 off) or terminat\$5 or disconnect\$5) near5 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:30
S63	164	S62 and (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:31
S64	6	S62 same(EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:31
S65	13778659	@ad<"20030318" or @rlad<"20030318"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:31
S66	43	S63 and S65	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 12:32
S67	1	"7260061".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:38

S68	1	"7260061".pn. and dedicate \$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:38
S69	0	"20040066769" and 3G	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:49
S70	26	benefit\$4 near4 3G	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:49
S71	30	3G same (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:49
S72	13	3G same (EAP and tunnel and GPRS)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:51
S73	30	3G same (EAP and tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 13:51
S74	0	"20040066769" and "802"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 15:47
S75	1	"20040066769"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/19 16:00
S76	1	"20060183980"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2009/10/20 11:03
S77	747286	(terminal or device or client or mobile or cellular or wireless or portable or handheld or phone or telephone) near7 (network or LAN or WAN or intranet or internet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
S78	518266	S77 near7 (connect\$4 or communicat\$4 or join\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
S79	11288	S78 near10 (authentic\$4 or authoriz\$6 or authoris\$6 or validat\$4 or verif\$4 or endors\$4 or certif\$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
S80	3601492	tunnel or pathway or channel or route or routes or path or paths	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
S81	715554	S80 near5 (creat\$4 or establish\$4 or make or making or makes or made or build\$4 or produc\$4 or generat\$4 or setup)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
S82	38541	S81 near20 (parameter or value or restriction or limitation or constraint)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10

S83	3	S79 near30 S82	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
S84	3	S78 and S83	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:10
S85	57029	GTP or (general near4 tunnel) or gprs	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:11
S86	3451	eap or eapol or ((extended or extensible) near4 (authenticat\$4 near2 protocol))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:11
S87	560	S79 and S86	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/09 10:11
S88	30	((xu near2 yingchun) or (cardwell near2 bennett)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/10/29 14:05
S89	11	S88 and 3com.asn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/10/29 14:05
S90	2	"20030226017"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/10/29 14:08
S91	1	"6785546".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/01 13:57
S92	1	"10549299"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 12:53
S93	1	"10549299" and signal\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 12:53
S94	2	"20020157019"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 12:59
S95	0	"20020157019" and (mobile or 3g)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 13:20
S96	1	"6151628".pn. and (mobile or 3g)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 13:29
S97	3	("6151628".pn.) or "20020157019"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 13:43
S98	1	S97 and IEEE	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 13:43
S99	0	S97 and (DIAMETER)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 13:50



S100	0	S97 and (quality or qos)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 14:03
S101	3	S97 and access	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 14:28
S102	3	S97 and (access near3 point)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 14:29
S103	3	S102 and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/02 14:29
S104	2	"20020157019"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:30
S105	1	"6151628".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:30
S106	2	"20030226017"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:30
S107	169543	(client or terminal or node or workstation or computer or mobile or cell or cellular or cellphone or smartphone or PDA or pdas or blackberr\$3) near7 (authentica\$4 or authoris\$4 or authoriz\$4 or verif\$4 or valid\$4 or certif\$4 or endors\$4 or login or logon)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:38
S108	470307	(authentica\$4 adj (server or computer or connection or device)) or authenticator or intermediar\$4 or middleman or prox\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:42
S109	9391	S107 near10 S108	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:42
S110	6023868	parameter or protocol or configuration or setup or value or EAP or EAPOL or GTP or GPRS or (general packet radio service)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:42
S111	1170263	S110 near5 (transmit\$4 or transmission or transfer or send\$4 or sent or pass\$4 or deliver\$4 or dispatch\$4 or forward\$4 or distribut\$4 or supply\$4 or provid\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:43
S112	4394	S111 near10 S107	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:44

S113	233999	tunnel\$4 or (secure or (direct adj connection) or VPN or (virtual private network)) near7 (establish\$4 or initiat\$4 or start\$4 or begin\$4 or commenc\$4 or intialis\$4 or initializ\$4 or negotiat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:45
S114	2287	S113 near15 S107	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:45
S115	164	S114 near10 S109	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:46
S116	7	S115 near20 (disconnect\$4 or clos\$4 or break\$4 or stop \$4 or halt\$4 or end\$4 or detach\$4 or remov\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/03 11:47

### EAST Search History (Interference)

< This search history is empty >

**5/ 6/ 2011 2:28:41 PM**

**C:\ Documents and Settings\ snguyen3\ My Documents\ EAST\ Workspaces\ 10549299.wsp**